By

	Application No.	Applicant(s)	
Notice of Allowability	10/604,789	10/604,789 TAN, KO-CHEN	
	Examiner	Art Unit	
	Michael V. Datskovskiy	2835	
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in the community or other appropriate community of the	his application. If not incluication will be mailed in du	ded e course. THIS
1. This communication is responsive to <u>06/17/2005</u> .			
2. ☑ The allowed claim(s) is/are <u>26-40</u> .		•	
3. $igotimes$ The drawings filed on <u>17 August 2003</u> are accepted by the	e Examiner.		
<ul> <li>4. Acknowledgment is made of a claim for foreign priority u <ul> <li>a) All</li> <li>b) Some*</li> <li>c) None</li> <li>of the:</li> <li>1. Certified copies of the priority documents have</li> <li>2. Certified copies of the priority documents have</li> <li>3. Copies of the certified copies of the priority documents have</li> <li>International Bureau (PCT Rule 17.2(a)).</li> </ul> </li> <li>* Certified copies not received:</li> <li>Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.</li> </ul>	e been received.  e been received in Application cuments have been received in	No n this national stage applic	
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which giv	nitted. Note the attached EXAM res reason(s) why the oath or d	IINER'S AMENDMENT or eclaration is deficient.	NOTICE OF
<ul> <li>6. CORRECTED DRAWINGS (as "replacement sheets") mu <ul> <li>(a) including changes required by the Notice of Draftsper</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR reach sheet. Replacement sheet(s) should be labeled as such in the Standard Comment Should be labeled as such in the Standard Comment Should be labeled as such in the Standard Comment Should be labeled as such in the Standard Comment Should be labeled as such in the Standard Comment Should be labeled as such in the Standard Comment Should be labeled as such in the Standard Comment Should be labeled as such in the Standard Comment Should be labeled as such in the Standard Comment Should be labeled as such in the Standard Comment Should be labeled as such in the Standard Comment Should be labeled as such in the Standard Comment Should be labeled as such in the Standard Comment Should be labeled as such in the Standard Comment Should be labeled as such in the Standard Comment Should be labeled as such in the Standard Comment Should be labeled as such in the Standard Comment Should be labeled as such in the Standard Comment Should be labeled as such in the Standard Comment Should be labeled as such as the Standard Comment Should be labeled as such as the Standard Comment Should be labeled as such as the Standard Comment Should be labeled as such as the Standard Comment Should be labeled as such as the Standard Comment Should be labeled as such as the should be labeled as such as the standard Comment Should Comment Should be labeled as such as the should be labeled by the should be labeled</li></ul></li></ul>	son's Patent Drawing Review ( 's Amendment / Comment or in  1.84(c)) should be written on the the header according to 37 CFR osit of BIOLOGICAL MATER	the Office action of drawings in the front (not the final field).  RIAL must be submitted.	
Attachment(s)  1. ☑ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/OPAPER No./Mail Date  4. ☐ Examiner's Comment Regarding Requirement for Deposit	5. ☐ Notice of Infor 6. ☐ Interview Sum Paper No./Ma 7. ☐ Examiner's Ar 8. ☒ Examiner's St	rmal Patent Application (P	,
of Biological Material  Multiple States of Biological Material		PRIMARY EXAMINER	

## **REASONS FOR ALLOWANCE**

1. The following is an examiner's statement of reasons for allowance: Claims 26-40 are allowable over the prior art of record for at least the reason that the prior art fails to teach or suggest an electronic device comprising a housing having a plurality of holes on a first side wall and a transparent dust-proof member installed approximately parallel to the first wall of the housing (claims 26-33), or in separate pieces inside each hole (claims 34-39), or a computer having a transparent wall made of a metal net and a transparent dust-proof member installed parallel to said metal net (claim 40).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

- 2. Idate et al (Japan Patent JP410041679A) teach an electronic device, Figs. 1-7, comprising a housing 5 having a plurality of holes on a first side metal mesh wall 3 and a transparent member 2 installed approximately parallel to the first wall of the housing. However, Idate et al do not teach said transparent member being dust-proof, because it comprises a plurality of holes 1.
- 3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael V. Datskovskiy whose telephone number is (571) 272-2040. The examiner can normally be reached on 8-4:30.

Art Unit: 2835

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lynn Feild can be reached on (571) 272-2092. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Med Buttleri

Michael V Datskovskiy Primary Examiner Art Unit 2835

06/21/2005